RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/521.814
Source:	Py/10.
Date Processed by STIC:	1/27/06
· · · · · · · · · · · · · · · · · · ·	

ENTERED



```
PATENT APPLICATION: US/10/521,814
                                                            TIME: 15:13:30
                     Input Set : A:\1768-134.txt
                     Output Set: N:\CRF4\01272006\J521814.raw
      3 <110> APPLICANT: Patel, Bipin C. M.
      5 <120> TITLE OF INVENTION: Conjugates of N-Hydroxypropymethacrylamide-Methacrylate
Copolymer
      6
              with Nuclide Activation Agent And/Or Anti-Cancer Compounds
      8 <130> FILE REFERENCE: 1768-134
     10 <140> CURRENT APPLICATION NUMBER: 10/521,814
     11 <141> CURRENT FILING DATE: 2005-01-21
     13 <150> PRIOR APPLICATION NUMBER: PCT/GB03/02919
     14 <151> PRIOR FILING DATE: 2003-07-04
     16 <150> PRIOR APPLICATION NUMBER: EP 02 255 107.1
     17 <151> PRIOR FILING DATE: 2002-07-22
     19 <160> NUMBER OF SEQ ID NOS: 20
     21 <170> SOFTWARE: PatentIn version 3.3
     23 <210> SEQ ID NO: 1
     24 <211> LENGTH: 2
     25 <212> TYPE: PRT
     26 <213> ORGANISM: Artificial Sequence
     28 <220> FEATURE:
     29 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     30
             for human tumors
     32 <400> SEQUENCE: 1
     34 Gly Gly
     35 1
     38 <210> SEO ID NO: 2
     39 <211> LENGTH: 3
     40 <212> TYPE: PRT
     41 <213> ORGANISM: Artificial Sequence
     43 <220> FEATURE:
     44 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     45
             for human tumors
     47 <400> SEQUENCE: 2
     49 Gly Phe Gly
                                                                     Internes "at Livigion
     50 1
                                                                         Thuis chied
     53 <210> SEQ ID NO: 3
     54 <211> LENGTH: 3
     55 <212> TYPE: PRT
     56 <213> ORGANISM: Artificial Sequence
     58 <220> FEATURE:
    59 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
                                                                       Lin Charles and
affinity
     60
             for human tumors
```

RAW SEQUENCE LISTING

62 <400> SEQUENCE: 3

64 Gly Phe Phe 65 1 68 <210> SEQ ID NO: 4

```
PATENT APPLICATION: US/10/521,814
                                                              TIME: 15:13:30
                     Input Set : A:\1768-134.txt
                     Output Set: N:\CRF4\01272006\J521814.raw
     69 <211> LENGTH: 3
     70 <212> TYPE: PRT
     71 <213> ORGANISM: Artificial Sequence
     73 <220> FEATURE:
     74 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     75
              for human tumors
     77 <400> SEQUENCE: 4
     79 Gly Leu Gly
     80 1
     83 <210> SEQ ID NO: 5
     84 <211> LENGTH: 3
     85 <212> TYPE: PRT
     86 <213> ORGANISM: Artificial Sequence
     88 <220> FEATURE:
     89 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     90
              for human tumors
     92 <400> SEQUENCE: 5
     94 Gly Val Ala
     95 1
     98 <210> SEO ID NO: 6
     99 <211> LENGTH: 3
     100 <212> TYPE: PRT
     101 <213> ORGANISM: 'Artificial Sequence
     103 <220> FEATURE:
     104 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     105
               for human tumors
     107 <400> SEQUENCE: 6
     109 Gly Phe Ala
     110 1
     113 <210> SEQ ID NO: 7
     114 <211> LENGTH: 3
     115 <212> TYPE: PRT
     116 <213> ORGANISM: Artificial Sequence
     118 <220> FEATURE:
     119 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
               for human tumors
     122 <400> SEQUENCE: 7
     124 Gly Leu Phe
     125 1
     128 <210> SEQ ID NO: 8
     129 <211> LENGTH: 3
     130 <212> TYPE: PRT
     131 <213> ORGANISM: Artificial Sequence
     133 <220> FEATURE:
     134 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     135
               for human tumors
     137 <400> SEQUENCE: 8
     139 Gly Leu Ala
```

RAW SEQUENCE LISTING

140 1

```
PATENT APPLICATION: US/10/521,814
                                                              TIME: 15:13:30
                     Input Set : A:\1768-134.txt
                     Output Set: N:\CRF4\01272006\J521814.raw
     143 <210> SEQ ID NO: 9
     144 <211> LENGTH: 3
     145 <212> TYPE: PRT
     146 <213> ORGANISM: Artificial Sequence
     148 <220> FEATURE:
     149 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     150
               for human tumors
     152 <400> SEQUENCE: 9
     154 Ala Val Ala
     155 1
     158 <210> SEQ ID NO: 10
     159 <211> LENGTH: 4
     160 <212> TYPE: PRT
     161 <213> ORGANISM: Artificial Sequence
     163 <220> FEATURE:
     164 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     165
               for human tumors
     168 <220> FEATURE:
     169 <221> NAME/KEY: MISC FEATURE
     170 <222> LOCATION: (1)..(1)
     171 <223> OTHER INFORMATION: residue may be modified with HPMA-co-MA
     173 <220> FEATURE:
     174 <221> NAME/KEY: MISC FEATURE
     175 <222> LOCATION: (2)..(2)
     176 <223> OTHER INFORMATION: residue may be replaced by BPA
     178 <220> FEATURE:
     179 <221> NAME/KEY: MISC FEATURE
     180 <222> LOCATION: (4)..(4)
     181 <223> OTHER INFORMATION: residue may be modified with BSH, BPA, CuTCPH, CuTCPHBr,
     182
               carborane butamine (B10C2H11(CH2)3CHCO2NH2)
     184 <400> SEQUENCE: 10
     186 Gly Phe Leu Gly
     187 1
     190 <210> SEQ ID NO: 11
     191 <211> LENGTH: 4
     192 <212> TYPE: PRT
     193 <213> ORGANISM: Artificial Sequence
     195 <220> FEATURE:
     196 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     197
               for human tumors
     199 <400> SEQUENCE: 11
     201 Gly Phe Phe Leu
     202 1
     205 <210> SEQ ID NO: 12
     206 <211> LENGTH: 4
     207 <212> TYPE: PRT
     208 <213> ORGANISM: Artificial Sequence
     210 <220> FEATURE:
     211 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
```

RAW SEQUENCE LISTING

TIME: 15:13:30

```
Input Set : A:\1768-134.txt
                     Output Set: N:\CRF4\01272006\J521814.raw
               for human tumors
     214 <400> SEQUENCE: 12
     216 Gly Leu Leu Gly
     217 1
     220 <210> SEQ ID NO: 13
     221 <211> LENGTH: 4
     222 <212> TYPE: PRT
     223 <213> ORGANISM: Artificial Sequence
     225 <220> FEATURE:
     226 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     227
               for human tumors
     229 <400> SEQUENCE: 13
     231 Gly Phe Tyr Ala
     232 1
     235 <210> SEQ ID NO: 14
     236 <211> LENGTH: 4
     237 <212> TYPE: PRT
     238 <213> ORGANISM: Artificial Sequence
     240 <220> FEATURE:
     241 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     242
               for human tumors
     244 <400> SEQUENCE: 14
     246 Gly Phe Gly Phe
     247 1
     250 <210> SEQ ID NO: 15
     251 <211> LENGTH: 4
     252 <212> TYPE: PRT
     253 <213> ORGANISM: Artificial Sequence
     255 <220> FEATURE:
     256 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     257
               for human tumors
     259 <400> SEQUENCE: 15
     261 Ala Gly Val Phe
     262 1
     265 <210> SEQ ID NO: 16
     266 <211> LENGTH: 4
     267 <212> TYPE: PRT
     268 <213> ORGANISM: Artificial Sequence
     270 <220> FEATURE:
     271 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high
affinity
     272
               for human tumors
     274 <400> SEQUENCE: 16
     276 Gly Phe Phe Gly
     277 1
     280 <210> SEQ ID NO: 17
     281 <211> LENGTH: 5
     282 <212> TYPE: PRT
     283 <213> ORGANISM: Artificial Sequence
     285 <220> FEATURE:
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/521,814

TIME: 15:13:30

Input Set : A:\1768-134.txt Output Set: N:\CRF4\01272006\J521814.raw 286 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high affinity 287 for human tumors 289 <400> SEQUENCE: 17 291 Gly Phe Leu Gly Phe 292 1 295 <210> SEQ ID NO: 18 296 <211> LENGTH: 6 297 <212> TYPE: PRT 298 <213> ORGANISM: Artificial Sequence 300 <220> FEATURE: 301 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high affinity 302 for human tumors 304 <400> SEQUENCE: 18 306 Gly Gly Phe Leu Gly Phe 307 1 310 <210> SEQ ID NO: 19 311 <211> LENGTH: 4 312 <212> TYPE: PRT 313 <213> ORGANISM: Artificial Sequence 315 <220> FEATURE: 316 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high affinity 317 for human tumors 320 <220> FEATURE: 321 <221> NAME/KEY: MISC_FEATURE 322 <222> LOCATION: (1)..(1) 323 <223> OTHER INFORMATION: modified with HPMA-co-MA 325 <220> FEATURE: 326 <221> NAME/KEY: MISC FEATURE 327 <222> LOCATION: (2)..(2) 328 <223> OTHER INFORMATION: modified with BPA 330 <220> FEATURE: 331 <221> NAME/KEY: MISC FEATURE 332 <222> LOCATION: (4)..(4) 333 <223> OTHER INFORMATION: modified with BPA 335 <400> SEQUENCE: 19 337 Gly Leu Gly Gly 338 1 341 <210> SEQ ID NO: 20 342 <211> LENGTH: 8 343 <212> TYPE: PRT 344 <213> ORGANISM: Artificial Sequence 346 <220> FEATURE: 347 <223> OTHER INFORMATION: polypeptide linker group used in a molecule with a high affinity 348 for human tumors 351 <220> FEATURE: 352 <221> NAME/KEY: MISC FEATURE 353 <222> LOCATION: (1)..(1) 354 <223> OTHER INFORMATION: modified with HPMA-co-MA 356 <220> FEATURE:

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/521,814

VERIFICATION SUMMARY

DATE: 01/27/2006

PATENT APPLICATION: US/10/521,814

TIME: 15:13:31

Input Set : A:\1768-134.txt

Output Set: N:\CRF4\01272006\J521814.raw